

Notice of References Cited

Application/Control No.

10/036,288

Applicant(s)/Patent Under Reexam

Edberg

Examiner

Ralph Gitomer

Art Unit

1627

Page 1 of 1

U.S. PATENT DOCUMENTS

	Document Number Country Code-Number-Kind Code	Date MM-YYYY ¹	Name	Classification ²	
A	4,925,789	5/1990	Edberg	435	38
B	5,429,933	7/1995	Edberg	435	34
C	5,780,259	7/1998	Edberg	435	34
D	6,329,166	12/2001	Edberg	435	34
E					
F					
G					
H					
I					
J					
K					
L					
M					

FOREIGN PATENT DOCUMENTS

	Document Number Country Code-Number-Kind Code	Date MM-YYYY ¹	Country	Name	Classification ²	
N						
O						
P						
Q						
R						
S						
T						

NON-PATENT DOCUMENTS

	Include, as applicable: Author, Title, Date, Publisher, Edition or Volume, Pertinent Pages
U	Cenci G. Fluorogenic Detection of Atypical Coliforms From Water Samples. Microbiologica (Italy) 13(2)121-129, April 1990.
V	
W	
X	

^{*} A copy of this reference is not being furnished with this Office action. See MPEP § 707.05(a).¹ Dates in MM-YYYY format are publication dates.² Classifications may be U.S. or foreign.